



Essence





Essence

Rich, voluminous, and effortlessly luxurious — that's Essence. A high-end upholstery fabric from our Natura Collection, known for its refined, natural aesthetic. This collection showcases fabrics made entirely or partially from natural fibers, bringing an organic, luxurious touch to any space.

Essence is woven on a dobby loom, a blend of polyester and linen yarns. This gives this textile a natural yet rich look that exudes understated elegance.

Yarn dyed and perfectly balanced texture vs. quality. It passes all standard upholstery fabric tests, making it a top-notch choice for a wide range of upholstery needs.

Thanks to its unique construction, we recommend a minimum seam of 1 cm. For enhanced durability, especially with tightly fitted furniture, extra overlocking of the seams adds more stability.

Last but not least, it's easy to maintain — machine-washable at 30°Celsius.

- Always be careful with sharp or rough objects such as watches, buckles or velcro, as they may damage the fabric.
- When a loop occurs, push it careful back with a blunt object.
- Please note that through daily use a certain hairiness may occur, this can easily be taken away with a pilling machine and has no further influence on the durability of this textile.
- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

***Textafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.*

Composition

/ faceside 93%PES 7%LI
/ backside n/a
/ flatweave

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



beige 05



champagne 186



denim 153



ecru 102



forest 162




hazel 96



lightgrey 60




linen 110



liver 10



natural 01



plumb 168



sand 03

Please note: colours may vary according to your screen settings.



sepia 176



slate 87



steel 149

Please note: colours may vary according to your screen settings.

Essence - Article passport

A rich, voluminous, and effortlessly luxurious article.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

| | |
|----------------------|---|
| Productgroup | flatweave |
| Applications | sofa's, beds, chairs with fitted and loose fitting upholstery |
| Composition faceside | 93%PES 7%LI |
| Composition backside | n/a |
| Bonding / Coating | n/a |
| Statistic code | 58013600 |
| Dyeing method | yarn dyed |
| Available colours | 15 |
| Packaging | transparent plastic |

Durability specifications

| Test | Test specification | Executed by laboratory: | Unit | Testresult | | Norm RAL GZ 430/4:2019-01 | | Norm DIN EN 14 465:2006-09 |
|-------------------------------------|--|-------------------------|--------|------------|-----|---------------------------|--------------------|----------------------------|
| | | | | Dry | Wet | DGM | DGM+ | |
| Abrasion resistance - yarn breakage | DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03 | CTL | cycles | >100.000 | | min. 16.000 | min. 25.000 | A |
| Pilling | DIN EN ISO 12945-2:2000-11. 2000 cycles | CTL | grade | 4 | | min. 3-4 | min. 4 | A |
| Colour fastness to light | DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5 | | | | | | | |
| | light colours | CTL | grade | 4-5 | | min. 4 | min.5 | B-C |
| | middle colours | CTL | grade | 4-5 | | min. 4 | min.5 | B-C |
| Colour fastness to rubbing | DIN EN ISO 105-X12:2016-11 | | | | | | | |
| | light colours | CTL | grade | 4-5 | 4-5 | dry: 4, wet: 3 | dry: > 4, wet: 3-4 | A/A |
| | middle colours | CTL | grade | 4-5 | 4-5 | dry: 4, wet: 3 | dry: > 4, wet: 3-4 | A/A |
| Colour fastness to rubbing | DIN EN ISO 105-X12:2016-11 | | | | | | | |
| | dark colours | CTL | grade | 4-5 | 4-5 | dry: 4, wet: 3 | dry: > 4, wet: 3-4 | A/A |
| | light colours | CTL | grade | 4-5 | 4-5 | dry: 4, wet: 3 | dry: > 4, wet: 3-4 | A/A |
| Ignitability (cigarette test) | BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette | CTL | | passed | | | | |

Processing specifications

| | |
|---|-------|
| Minimum workable width in centimeters | ± 141 |
| Roll length in meters | ± 25 |
| Material weight in grams per linear meter | ± 955 |

| Test | Test specification | Executed by laboratory: | Unit | Testresult | | Norm RAL GZ 430/4:2019-01 | | Norm DIN EN 14 465:2006-09 |
|-----------------------------|--|-------------------------|--------|------------|-------|---------------------------|----------|----------------------------|
| | | | | Warp | Weft | DGM | DGM+ | |
| Tensile strength | DIN EN ISO 13934-1:2013-08 | CTL | Newton | 3.001 | 1.661 | min. 350 | min. 400 | A/A |
| Tear growth resistance | DIN EN ISO 13937-3:2000-06 | CTL | Newton | 474,7 | 370,6 | min. 25 | min. 30 | A/A |
| Resistance to seam slippage | DIN EN ISO 13936-2:2004-07. Load 180 N | CTL | mm | 1,4 | 3,0 | max. 5 | max. 4 | A/A |
| Delamination | DIN 53530:1981-02 | CTL | Newton | n/a | n/a | n/a | n/a | n/a |
| Chemical substances | REACH | Centexbel | | passed | | | | |
| | Oeko-Tex, product class II | Centexbel | | certified | | | | |

Cleaning specifications

| Test | Test specification | Executed by laboratory: | Unit | Testresult | | Norm RAL GZ 430/4:2019-01 | | Norm DIN EN 14 465:2006-09 |
|--|---|-------------------------|------|------------|------|---------------------------|------|----------------------------|
| | | | | Warp | Weft | DGM | DGM+ | |
| Dimensional change for washing 30 degrees celcius / air drying | DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08 | CTL | % | -1,2 | -0,6 | n/a | n/a | A/A |

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.



Textaafoam
Expect what's next in furniture fabrics

Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaafoam.nl
www.textaafoam.nl